

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
---------------------------------	-----------------------	------------	--	-----------------------	-------------------------------	------------------------	----------------------	------------------------------	--	----------------------------	----------

[illegible]



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

PACKING SLIP

Pg 1 of 1

REPRINT

I110912



SOLD TO: 00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

Ph: (613) 632-5200

SHIP TO:

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS:

***SHIP JOURNEY FREIGHT
COLLECT ***

Sales Person	Payment Terms	Contact	Work Order	MTR
BOB MESSETT	NET 30 DAYS	CHANTAL LAVOIE	W269917	Y

Ship Via	Shipping Terms	Customer PO	Date Ordered	Date Required	Date Shipped
COMMON CARRIER	COLLECT	PO34040	10/26/16	12/05/16	12/02/16

Line	Description	Ordered	Back Ordered	Shipped	Unit
0001	STAINLESS SHEET SSH 304 EXP PAPER 16F x 3/4" x 48" Weight: 180 LB L056429; Heat: 848084; 10 PC; 180 LB; 1 PALETTE	10		10	PC
Approx Weight: 180 LB					

Received by: _____ Date: _____ Signature: _____

NOTICE OF SHIPMENT/
PACKING LIST

APR 26 2016



CERTIFICATE OF TEST

AL 6168-6 0814

CUST. ORD. NO. & DATE

P005751

FORMS DISTRIBUTION

SHIP TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

TO

1

DIVERSIFIED ULBRICH STAINLESS
AKA ULBRICH OF CANADA INC
98 NORFINCH DRIVE
DOWNSVIEW, ON M3N1X1
CANADA

PRIME SEC.
DSO DSO
30

EXCELSIOR STEEL PROCESSING LTD
34 CARSON STREET
ONTARIO
TORONTO
ZIP CODE: M8W 3R9
CN

GRADE AND SPECIFICATIONS

"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3 EDGE (304/304L) (AMS 551H R2013) (AMS 5513J)
(ASTM-A-480-16) (ASTM-A-262-14 PRACTICE E/D) (ASTM EN 10204:2005 3.1 CERTIFICATE) (EN 10028-7:2007-1.4307-2B)
(EN 10028-7:2007-1.4301-2B) (ASME-SA-240 ED 9-015) (ASTM-A-240-15B)

CARRIER - M & C TRUCKING CO.

ITEM PCS DIMENSIONS W/G/L

HEAT #9-89 COIL #

TEST #

GROSS TARE NET

THEO TAG # / CD SKID #

001B 1 48.-/-.059/2285.

848084 AAB38020-A

8836013

22100

50 22050

431604

C CUST IDENTITY 304L2B16GX48XC

1 SKID

22100

50 22050

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER

DIST: PLEASE SEND ACKNOWLEDGMENTS ATTN: ANNE DIRKSEN-CAIRO LI

TYPE HEAT/TEST (WT %)

HEAT 848084

TEST LOCATION

--C--- --MN--- --P--- --S--- --SI--- --CR--- --NI--- --MO--- --CU--- --N---
.021 1.70 .037 .0001 .35 18.32 8.10 .48 .39 .08
BN BN BN BN BN BN BN BN BN BN

ITEM TEST NO

001B 8836013

TEST LOCATION

YIELD TENSILE % ELONG
PSI * PSI IN 2" % R/A HARDNESS BEND ISO 3651-2 SIZE HARDENABILITY
T 47500. 94600. 55. = NR 85.HRBW T PASS PASS NR
TC TC TC TC TC TC TC TC TC TC
* Y.S. BY 0.2% OFFSET METHOD
CORROSION T-YIELD
A 262 PR E 1%
PASS 52406.

ITEM TEST NO

001B 8836013

TEST LOCATION

TC TC

PAGE 01 - CONTINUED ON PAGE 02

04/19/16 08:06:36

CONSIGNEE: Please Note-This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your information, we have examined the shipment as it arrives. If any storage or damage is shown, it is noted on the bill of lading. The carrier is responsible for any loss or damage to the goods in transit. The consignee is responsible for any loss or damage to the goods after receipt. Transportation agent on receipt before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.ATIProducts.com. A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in ATI Flat Rolled Products' Order Acknowledgement.
Stephen Wolf, Director, Corporate Quality Assurance

011639

014832.

AL 6158-6 0814

DATE SHIPPED _____

4/19/16

INVOICE

...

PROCESSING LTD
M8W 3R9
CN

CARRIER - M & C TRUCKING CO.

ASTM A262 PRACTICE E BEND ANGLE IS 180 DEGREES.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

T1 SENSITIZATION HEAT TREATMENT WAS PERFORMED ON LOW CARBON AND STABILIZED GRADES. T1: HEATING OF A FLAT NON-WELDED TEST PIECE AT 700C +/- 10C (1292F +/- 18F) FOR 30 MINUTES FOLLOWED BY WATER COOLING.

EN 10204:2005 - ATI FLAT ROLLED PRODUCTS IS APPROVED AS A MANUFACTURER ACCORDING TO THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in AllPac Hotel Products Order Acknowledgement.

Stephen Wolf - 
Director, Corporate Quality Assurance

AL 6168-6 081.

CUST. ORDER NO. & DATE
5 82825

FORMS DISTRIBUTION

[illegible]

GRADE AND SPECIFICATIONS	YES	NO
"ATTI 304L" STAINLESS STEEL SHEET (AMS 5511H R2013) (ASTM-A-240 ED 2015) (UNS S30400)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
CARRIERS - CUSTOMER TRUCK	<input checked="" type="checkbox"/>	<input type="checkbox"/>
CUTS AND/OR COILS AND/OR ED 2B FIN 3 EDGE (304/304L) (AMS 5511H R2013) (ASTM-A-240 ED 2015) (UNS S30403)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM PCS	DIMENS	SIGNATURE	HEAT #	COIL #	TEST #	GROSS TARE NET	THEO TAG # / CD SKID

0001	1	48./-059/2121.	848308	✓	AAB40185-B	✓	8836753	20560	20560	✓	436399	✓
001B	1	48./-059/2114.	848304	✓	AAB42159-B		8836993	20520	20520		437871	
C CUST	IDENTITY	30428.059X48-VMI										
	2	COILS						41080	41080			

ORDER REMARKS: EXM - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER
DIST: EMAIL INVOICE TO APESAMUEL.COM VMI ITEM - DO NOT SEND ACK TO SOLD-TO, SEND TO SAMUEL SON &
CO LTD, 2360 DIXIE ROAD, MISSISSAUGA, ONTARIO, CANADA, L4Y 1Z7, ATTN: MR. TERRY CROWE

TYPE	HEAT/TEST (WT %)	-C-	-MN-	-P-	-S-	-SI-	-CR-	-NI-	-MO-	-CO-	-N-
HEAT	848308	-019	1.67	-035	-0001	.35	18.16	8.25	.36	.42	.07
TEST LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN
HEAT	848384	-022	1.68	-033	-001	.33	18.30	8.15	.45	.49	.07
TEST LOCATION		BN	BN	BN	BN	BN	BN	BN	BN	BN	BN

P183395
399

ITEM	TEST NO	YIELD PSI	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS	BEND T PASS	A 262 PASS	PR E SIZE	CORROSION ASTM	GRAIN	HARDENABILITY
001	8836753	T 48800.	93900.	56. #	NR	82.HREB	T PASS	PASS	NR			NR
TEST LOCATION		TC	TC	TC	NR	84.HREB	TC	TC				NR
001B	8836993	T 47000.	94400.	55. #		86.HREB	T PASS	PASS				NR
TEST LOCATION		TC	TC	TC		85.HREB	TC	TC				

PAGE 01 - CONTINUED ON PAGE 02

05/25/16 09:52:07

CHARGES— Please Note—This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your information please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

WARNING: Safety Data Sheets for this product are available on our website, www.AllMetrics.com. A thorough review of the Safety Data Sheet for this grade of material purchased as well as performed prior to working with this product and all safety & health considerations outlined must be implemented.

The above is a true copy of data on Product's Order Acknowledgement.

file. The material and test results conform to the sales contract.

and specifications) as set forth in All Flat House

NOTICE OF SHIPMENT/ PACKING LIST



Flat Rolled Products

CERTIFICATE OF TEST

AL 6168-6-0814

CUST. ORDER NO. & DATE S 82825		03/30/14 788638		VANDERGRIFT, PA		508162		13020102206000		30-036-596		05/25/16	
FORMS DESTINATION SHIP TO SPEC		SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO		SHIP TO	
REPEAT PRIME DSO 30		DO BECI DSO 45		GOVT. CONTRACT 7219.35.0000		MATERIAL 1124		VANDERGRIFT		PA		INVOICE 668480	

GRADE
"ATI 304L" STAINLESS STEEL SHEET C R COILS ANNEALED 2B FIN 3-EDGE
CARRIER - CUSTOMER TRUCK

* U.S. BY 0.2% OFFSET METHOD
ELONG AT FRACTURE

NIR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY
EN 10204:2005 - 3.1 CERTIFICATE DOES NOT INDICATE PED APPROVAL FOR THIS MATERIAL.

THESE COMMODITIES OR TECHNOLOGY, WHEN EXPORTED FROM THE UNITED STATES, ARE IN ACCORDANCE WITH THE USA EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. U.S. LAW ALSO PROHIBITS DISPOSITION OF THESE COMMODITIES/TECHNICAL DATA TO ANY END-USER OR FOR ANY END-USE RELATED TO THE DESIGN, DEVELOPMENT, PRODUCTION, STOCKPILING, OR USE OF CHEMICAL, BIOLOGICAL, OR NUCLEAR WEAPONS, OR MISSILES, WITHOUT THE PROPER APPROVAL OF THE UNITED STATES GOVERNMENT.

THIS CERTIFIED MATERIAL TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL. FEDERAL LAW PROHIBITS THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A FELONY UNDER FEDERAL LAW. ATI FRP HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001, AS9100, NADCAP, AND ISO/IEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATI FRP QUALITY MANUAL REVISION 24 DATED 10/16/2015.

PAGE 02 - CONTINUED ON PAGE 03

05/25/16 09:52:07

CONSIGNEE: Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in subsequent transit, for your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on arrival before signing.

WARNING: Safety Data Sheets for this product are available on our website. Safety Data Sheet for the grade of material purchased should be performed prior to working with the product and all safety & health considerations outlined must be implemented.

This document is a true copy of data on file. The material and test results conform to the sales contract and specifications as set forth in ATI Flat Rolled Products Order Acknowledgment.

Stephen Wolt
Director Customer Quality Assurance

[Signature]

1

AL 6168-6 0814

05/25/12

INVOICE
668485

05/25/16 09:52:07

Stephen Wall
Director, Customer Quality Assurance

Abdullah

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 1304EX075-16F
 DATE: 16-12-08

PO / BATCH NO.: 1031010 / M136012

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 320' 30/F
 QUANTITY INSPECTED: 320' 30/F
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 16g.
 THICKNESS RECEIVED: 16g.
 SHEET SIZE ORDERED: 4x8
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	ASTM-A-240
CORRECT REF # TO LINK CERT	(Y)	N	848034
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>9</u> 9-89	SIGNED OFF BY: _____
DATE: <u>16-12-08</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34040**

Purchase Order Date 10/25/2016 7:54:59 AM

PO Print Date 11/4/2016

Page Number 1 of 2

Order From :

VC-DIV001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

Contact Name

Vendor Phone 514 694 6522

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	10/31/2016 Yes 10/31/2016		320.00 sf	\$5.16	\$1,651.20
	MATERIAL: 304 /316 STAINLESS STEEL EXPANDED METAL AS PER ASTM F1267 OR MIL-M-17194D NOTE: DIAMOND MUST RUN ALONG THE 8 FT						
	M304EX0.75-16F		11/29/2016		320.00 sf	\$5.16	\$1,651.20
	will need new watch # once rec'd. C21611104						
			11/29/2016				
	Line Total:						\$3,302.40

Note:

11/4/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO34040**

Purchase Order Date 10/25/2016 7:54:59 AM

PO Print Date 11/4/2016

Page Number 2 of 2

Order From :
DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

VC-DIV001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 6522

Ship To Contact

Ship To Phone

Ship Via: Journey Freight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

2	71401-45	Procurement Quality Clause	10/31/2016	1.00	✓	\$0.00	\$0.00
---	----------	----------------------------	------------	------	---	--------	--------

No

Procurement Quality Clauses

10/31/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

5016-127

Line Total: \$0.00

PO Total: \$3,302.40

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 3

Change Date: 11/4/2016